

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

E-MAIL DATA FORMAT




FIG. 9

EXAMPLE OF SETTING P CODE IN E-MAIL HEADER




FIG. 10

ABBREVIATED NUMBER (NO.)	ASSOCIATED NAME	DESTINATION INFORMATION (TELEPHONE NUMBER/E-MAIL ADDRESS)
1	TARO FUJI	03-XXXX-1234
2	HANAKO FUJI	F.Hanako@fujixerox.co.jp
⋮	⋮	⋮
N	ICHIRO FUJI	03-XXXX-5678

FIG. 11




FIG. 12




FIG. 13




FIG. 14

< REASON WHY FACSIMILE TRANSFER IS REFUSED >
STORAGE MEMORY IS INSUFFICIENT

.....
< E-MAIL HEADER >

DATE : FRI, 8 DEC 2000 11:37:15 +0900 (JST)
FROM : watashi@ifax.co.jp
TO : anata@ifax.co.jp
CC :
SUBJECT : DOCUMENT DISTRIBUTION

.....
< E-MAIL BODY >

ATTACHED IS A DOCUMENT USED AT A MEETING.
STARTING FROM 9:30 ON DECEMBER 11 (MON).

.....
< ATTACHED FILE >

INVENTION PROPOSAL

INVENTION TITLE : INTERNET FACSIMILE
INVENTOR :

FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20

DATE	TRANSMITTING PARTY ADDRESS	FILE TYPE	FILE SIZE
20001220082655	xxx@xxx.co.jp	XX VER4.1	986
20001220091234	yyy@yyy.co.jp	YYY	435
20001220091248	zzz@zzz.com	ZZZ	1,671
⋮	⋮	⋮	⋮

FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26

FUNCTION SETTING

CLOSE

IDENTIFIED
IMAGE QUALITY

ORIGINAL TYPE

TRANSMISSION
DENSITY

PRIORITY
TRANSFER

PRIORITY
PROCESSING

PRIORITY
SETTING

PREVIOUS PAGE

NEXT PAGE

FIG. 27

DESTINATION : SHIBUYA BRANCH


ADDRESS : shibuya@ifax.co.jp


PREVIOUS PAGE

PRIORITY
SETTING (1 - 5)

START

3

HIGH 

LOW 

CANCEL

NEXT PAGE

FIG. 28




FIG. 29

FUNCTION SETTING

CLOSE


PRIORITY TRANSFER


EFFECTIVE

INEFFECTIVE

PRIORITY SETTING (1 - 5)

3

HIGH 

LOW 

NEXT PAGE

FIG. 30

FUNCTION SETTING

CLOSE

PRIORITY TRANSFER

EFFECTIVE

INEFFECTIVE

TRANSFER FACSIMILES

i FAX-A

i FAX-B

i FAX-C

PREVIOUS PAGE

FIG. 31

FUNCTION SETTING

PRIORITY TRANSFER

EFFECTIVE

INEFFECTIVE

CLOSE

Detailed description: This is a screenshot of a device's 'FUNCTION SETTING' menu. The title 'FUNCTION SETTING' is at the top left, and a 'CLOSE' button is at the top right. Below the title is the 'PRIORITY TRANSFER' option. Under this option, there are two buttons: 'EFFECTIVE' (which is highlighted with a diagonal hatched pattern) and 'INEFFECTIVE' (which is a plain button).

FIG. 32

FUNCTION SETTING

PRIORITY TRANSFER

PRIORITY : 3

TRANSFER FACSIMILES : i FAX-A, i FAX-C

CLOSE

Detailed description: This is a screenshot of a device's 'FUNCTION SETTING' menu. The title 'FUNCTION SETTING' is at the top left, and a 'CLOSE' button is at the top right. Below the title is the 'PRIORITY TRANSFER' option. Under this option, there are two buttons: 'PRIORITY : 3' and 'TRANSFER FACSIMILES : i FAX-A, i FAX-C'.

FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43

SENDER	E-MAIL ADDRESS	SIGNATURE	TRANSFER ROUTE	CHARGING AMOUNT
XX XX	xxx@xxx.co.jp	NOT REQUIRED	*****
		REQUIRED	EXCEPT THE ABOVE	
	yyy@yyy.ne.jp	NOT REQUIRED	
YY YY	zzz@xxx.co.jp	NOT REQUIRED	*****
		REQUIRED	EXCEPT THE ABOVE	
	zzz@yyy.ne.jp	NOT REQUIRED	
⋮	⋮	⋮	⋮	⋮

FIG. 44




FIG. 45




FIG. 46

USER NAME	USER ID	PASSWORD	CHARGING AMOUNT
XX XX	YYY	*****	*****
YY YY	ZZZ	*****	*****
⋮	⋮	⋮	⋮